

## Amsterdam University of Applied Sciences

### **A higher protein intake at breakfast does not compromise total daily protein intake in older adults**

Verreijen, Amely M.; Streppel, Martinet T.; Rotteveel, Ilse ; Heman, Danielle; van den Helder, Jantine; van Dronkelaar, Carliene; Memelink, Robert G.; Tieland, Michael; Visser, Marjolein; Engberink, Mariëlle F.; Weijs, Peter J. M.

[Link to publication](#)

#### *Citation for published version (APA):*

Verreijen, A. M., Streppel, M. T., Rotteveel, I., Heman, D., van den Helder, J., van Dronkelaar, C., ... Weijs, P. J. M. (2018). *A higher protein intake at breakfast does not compromise total daily protein intake in older adults.*

#### **General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

#### **Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please contact the library: <http://www.hva.nl/bibliotheek/contact/contactformulier/contact.html>, or send a letter to: University Library (Library of the University of Amsterdam and Amsterdam University of Applied Sciences), Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

# A higher protein intake at breakfast does not compromise total daily protein intake in older adults

Amely M. Verreijen<sup>1</sup>, Martinet T. Streppel<sup>1</sup>, Ilse Rotteveel<sup>1</sup>, Daniëlle Heman<sup>1</sup>, Jantine van den Helder<sup>1</sup>, Carliene van Dronkelaar<sup>1</sup>, Robert G. Memelink<sup>1</sup>, Michael Tieland<sup>1</sup>, Marjolein Visser<sup>2</sup>, Mariëlle F. Engberink<sup>1</sup>, Peter J.M. Weijs<sup>1,3</sup>

<sup>1</sup>Department of Nutrition and Dietetics, Faculty of Sports and Nutrition, Amsterdam University of Applied Sciences, Amsterdam, Netherlands, <sup>2</sup>Department of Health Sciences, Faculty of Science, Vrije Universiteit Amsterdam, Amsterdam Public Health research institute, Amsterdam, Netherlands <sup>3</sup>Amsterdam University Medical Centers, location VU University Medical Center, Amsterdam, Netherlands

## Background

A protein intake of 25-30 gram per meal is suggested to maximally stimulate muscle protein synthesis in older adults in order to prevent sarcopenia. Since protein is known for its satiating effects, **we explored the association between the amount of protein intake at breakfast and total daily protein intake in older adults.**


## Methods

**Study sample:** 506 community dwelling older adults (age ≥ 55 years) participating in lifestyle interventions in the Amsterdam Nutritional Assessment Center.

**Measurement of protein intake:** by a 3-day dietary record at baseline. Both total daily protein intake and protein intake per eating moment was calculated.

**Statistical analysis:** Multiple linear regression analysis

- Main determinant (X): protein intake at breakfast in grams (g)
- Main outcome (Y): total daily protein intake (in g, and g/kg body weight)
- Adjusted for: energy intake (kcal/d), sex, age and BMI
- Interaction tested for: sex, age and BMI but not significant (p>0.80)



**Figure 1:** Distribution of protein intake. Dashed red line is the amount suggested optimally stimulate muscle protein synthesis.

## Key conclusion

**A higher protein intake at breakfast does not compromise total daily protein intake in community dwelling older adults.**

## Results


**Baseline characteristics:** Mean age was 67.6±(SD)7.3 years, 42% was female, and mean BMI was 30.0±5.6 kg/m<sup>2</sup>.

**Protein intake:** Total daily protein intake was 81±24 g which equals 0.96±0.3 g/kg and 17.6±3.7 percent of total energy intake. Protein intake at breakfast was 14±7 g. Distribution of protein intake is displayed in Figure 1.

**Regression analysis:** A **10 g higher protein** intake at breakfast was associated with a **6.7 g** (SE=1.0; P<0.001) which equals a **0.06 g/kg** (SE=0.01; P<0.001) **higher total daily protein intake** after adjustment for energy intake, sex, age and BMI.

## Discussion

A higher protein intake at breakfast does lead to a significantly higher total daily intake, but a small compensating effect seems to be present: a higher intake at breakfast leads to a small but significant negative effect on the protein intake during the rest of the day.



**Figure 2:** Crude association between protein intake at breakfast and total daily protein intake in 506 older adults

**Correspondence:** [a.verreijen@hva.nl](mailto:a.verreijen@hva.nl), Faculty of Sports and Nutrition, Amsterdam University of Applied Sciences, Netherlands