

# The role of purchasing in raising the maturity of smart maintenance management

**Author(s)**

Johannes, Koos; Voordijk, Hans ; Aranda-Mena, Guillermo

**DOI**

[10.1108/BEPAM-01-2022-0004](https://doi.org/10.1108/BEPAM-01-2022-0004)

**Publication date**

2023

**Document Version**

Author accepted manuscript (AAM)

**Published in**

Built Environment Project and Asset Management

[Link to publication](#)

**Citation for published version (APA):**

Johannes, K., Voordijk, H., & Aranda-Mena, G. (2023). The role of purchasing in raising the maturity of smart maintenance management. *Built Environment Project and Asset Management*, 13(2), 324-340. <https://doi.org/10.1108/BEPAM-01-2022-0004>

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please contact the library: <https://www.amsterdamuas.com/library/contact/questions>, or send a letter to: University Library (Library of the University of Amsterdam and Amsterdam University of Applied Sciences), Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.



**The role of purchasing in raising the maturity of smart maintenance management**

Journal:	<i>Built Environment Project and Asset Management</i>
Manuscript ID	BEPAM-01-2022-0004.R2
Manuscript Type:	Research Paper
Keywords:	Construction Clients, Asset Management, Real Estate, Maturity Assessment, Multiple Case Study, Service Triads, Collaboration, Facilities Management

SCHOLARONE™  
Manuscripts

## The role of purchasing in raising the maturity of smart maintenance management

### Abstract

#### Purpose –

The aim of this study is to provide insights into how the purchasing function can increase the maturity of smart maintenance management (SMM) in construction clients by 1) assessing current SMM maturity and 2) developing an adapted service triad for purchasing's meaningful involvement in SMM.

#### Design/methodology/approach –

A multiple case research design was used, and data were collected from four higher education institutes in the Netherlands through an assessment of their current SMM maturity. Coding and a cross-case analysis were used to qualitatively analyze the data to identify roles and value chain integration factors as intermediate steps in adapting the service triad to a service hexad.

#### Findings –

Within construction client organizations, collaboration between maintenance management, project management, and ICT services requires improvement. The proposed service hexad redefines the client's SMM roles with the aim of improving collaboration. We discuss how this enables a transition to higher levels of SMM maturity.

#### Practical implications –

Implementing the service hexad provides construction clients with a stronger position in supply networks. It clarifies the briefing process in construction management and emphasizes the data supply responsibilities of construction management professionals.

#### Research limitations –

The findings were derived from a particular class of construction clients: higher education institutes that operate owner-occupied properties. Although the service hexad could be adapted, to owner-occupied multi-user properties, further research is necessary to assess its relevance for investor-owned properties.

#### Originality –

The study draws on the service triads and meaningful involvement concepts from the purchasing literature and applies them to SMM.

**Keywords:** construction clients, asset management, facilities management, real estate, maturity assessment, multiple case study, service triads, collaboration

**Article classification:** Research paper

## Introduction

Given the substantial costs of building maintenance, purchasing departments of construction clients have sought to get involved in purchasing maintenance services. However, this has been complicated because technical departments see themselves as responsible for at least part of the definition, procurement, and delivery of maintenance services (Van Weele, 2014; Ueltschy Murfield *et al.*, 2021). Furthermore, the transition to smart maintenance management (SMM) introduces additional challenges. A typical example of a SMM application is the use of sensors, the internet of things, and artificial intelligence techniques to monitor an asset's condition and predict the timing of failures. While this enables a more effective and efficient servicing of elevators, chillers and similar equipment, it also increases the institutional complexity of maintenance because the data, in part, has to come from assets that are installed during earlier construction stages. The institutional complexity of SMM addressed in this paper refers to the interplay and concurrent presence of the logics both of new construction and of maintenance that impose incompatible demands on the construction client (Greenwood *et al.*, 2011).

The smart maintenance literature has sought to understand the impact on organizations of using advanced technologies, data science, and predictive analytics (e.g., Lee *et al.*, 2014; Bokrantz *et al.*, 2020), but has not been able to explain how the transition toward smart maintenance affects the role of purchasing in institutionally complex construction clients.

In response, the aim of this study is to provide insights into how purchasing can increase SMM maturity in construction clients by 1) assessing current SMM maturity and 2) developing an adapted service triad for the meaningful involvement of purchasing in SMM. We define smart maintenance management (SMM) as the process of directing, controlling, and monitoring the supply and delivery of the services that constitute smart maintenance.

This paper addresses the following research question: What determines the role of purchasing in raising maturity levels of SMM in institutionally complex environments? To answer this question, an adapted service triad for SMM is developed that integrates different roles and describes the role of purchasing in that integration process. Purchasing in this study refers to the operational supply and delivery of smart maintenance services (Van Weele, 2014; Murray, 2009).

To empirically develop an adapted service triad, this study measures SMM maturity in higher education institutes as a particular class of construction clients. Intra- and inter-organizational relationships and data exchange are fundamental elements of SMM (Bokrantz *et al.*, 2020). As such, measuring current SMM maturity can generate insights into role interactions which can be used to adapt the classical service triad configuration used to model the interaction between buyer, supplier, and end-user (Wynstra *et al.*, 2015), and identify ways for purchasing to increase SMM maturity.

The following section reviews the relevant literature. The methodology section then describes how maturity assessments have been used in a multiple case study to adapt the service triad concept, increasing its relevance for SMM. Subsequently, the case study findings are presented and discussed. Based on the findings, we adapt the service triad to a service hexad for SMM and discuss three ways in which purchasing could increase SMM maturity. The closing section draws conclusions and makes suggestions for future research.

## Literature review

### *The client's role in construction*

The client's role in construction has received substantial attention from academics. Much of this research was fueled by discontent with the construction industry's performance and the perceived lack of innovation (Cherns and Bryant, 1984; Boyd and Chinyio, 2006). This has led to a stream of literature on the client's role in commissioning. In its commissioning role, the

1  
2  
3 client makes decisions that affect downstream collaboration in the supply chain, and hence  
4 influences construction innovation (Bresnen and Marshall, 2000; Briscoe *et al.*, 2004).  
5 Another, more practice-oriented field of research relates to the client's briefing role in  
6 commissioning. Briefing is an early stage in the construction process during which a client's  
7 requirements are identified and communicated (Barret *et al.*, 1999). It is the process through  
8 which actors involved in designing and constructing of structural works are informed about the  
9 aspirations, desires and needs of the client. Poorly articulated client needs at the start of design,  
10 development and procurement processes will fail to deliver value because the actual needs were  
11 not identified and understood. Ideally, briefing is a cyclical process where, over time, all the  
12 involved actors can arrive at a shared meaning of values, beliefs, and client needs (Loosemore  
13 and Chandra, 2012). Recent research on the client's role in commissioning has recognized their  
14 responsibilities as custodians of values related to an asset's entire life cycle (Aliakbarlou *et al.*,  
15 2017; Kuitert *et al.*, 2019) and called for clients to move beyond 'a lowest price' mentality  
16 (Loosemore and Richard, 2015).  
17  
18

19 Reflecting on the literature on the client's role in construction commissioning, we make  
20 three observations. First, most of the traditional literature views the commissioning of projects  
21 as a temporary phenomenon. While this is understandable from a construction industry  
22 perspective, given that a project-based delivery mode is the dominant business model, it is less  
23 obvious for clients who become the designated owner and operator of the asset. The ongoing  
24 process of adapting buildings to the changing end-user needs, requires a way to connect the  
25 project-based delivery mode with other service delivery modes for ongoing planned and  
26 corrective maintenance. Our second observation is that, in commissioning, a great deal of  
27 attention is given to the interactions between clients and external actors in the supply network:  
28 engineering consultants, designers, contractors, subcontractors, and suppliers. This plays down  
29 the roles of the different internal client interest groups involved. A third observation relates to  
30 the role of the purchasing function in construction clients. In the extant literature on  
31 procurement and purchasing in construction, the role of purchasing is investigated from a  
32 construction companies' perspective (e.g., Bemelmans *et al.*, 2013). The focal point of these  
33 investigations is the purchasing relationship between the construction company and its  
34 suppliers. We found no study that investigates the purchasing function within the construction  
35 client itself.  
36  
37  
38

39 This study aims to fill that gap by exploring the role of purchasing and other client interest  
40 groups. In the purchasing literature, the concepts of 'meaningful involvement' and 'service  
41 triads' relate to these challenges. While meaningful involvement is concerned with the value  
42 by purchasing in buying technical services, service triads describe the three-party collaboration  
43 between buyer, supplier, and end-user.  
44  
45

#### 46 *Meaningful involvement of purchasing*

47 Meaningful involvement of the purchasing function in purchasing and in the supply of  
48 specialized complex services has been discussed by Schiele and McCue (2006), Johnson and  
49 Leenders (2003), Ellram and Tate (2015), and Holma *et al.* (2020). Johnson and Leenders  
50 (2003) distinguished four levels of involvement: from no involvement at all to documentary,  
51 professional, and meaningful involvement. While documentary involvement is limited to  
52 administrative activities (e.g., setting out requests for proposals and collecting offers on behalf  
53 of internal departments), professional involvement includes higher order activities. These can  
54 include meeting with internal departments to discuss needs and providing internal departments  
55 with unsolicited advice that can facilitate the purchasing process (Johnson and Leenders, 2003).  
56 Meaningful involvement is similar to professional involvement but goes further in considering  
57 the interrelatedness of various purchasing activities and their effects on the long-term needs  
58 and strategies of the construction client's organization as a whole. It is considered 'the ultimate  
59  
60

1  
2  
3 state of perfection and integration with all other functions and activities in the organization'  
4 (Johnson and Leenders, 2003 p.38). For this study, we define the meaningful involvement of  
5 purchasing in SMM as the fulfilling of an intermediary role between the contractor and internal  
6 construction client units with the aim of increasing the construction client's overall SMM  
7 maturity. Holma *et al.* (2020) proposed a model for meaningful involvement in a triadic  
8 configuration with distinct roles for buyer, supplier, and end-users. This forms the theoretical  
9 starting point for this study and the associated service triads literature is briefly discussed  
10 below.  
11  
12

### 13 *Service triads*

14  
15 When purchasing maintenance services and/or components, a contract is negotiated with  
16 suppliers that deliver their actual services to end-users (in this context: business units), thereby  
17 creating a service triad. Triads are three-party configurations of buyer, supplier, and end-user.  
18 While some of the literature on triads deals with product supply chains, most research has  
19 focused on service triads (e.g., Li and Choi, 2009; Li *et al.*, 2019). A study incorporating both  
20 product and service triads was conducted by Peng *et al.* (2010) who investigated thirteen triads  
21 involved in military avionics maintenance. Finne and Holmström (2013) discussed service  
22 triads among subsystem suppliers, system integrators, and end-users. Wynstra *et al.* (2015)  
23 presented an overview of the service triads literature. While a substantial part of the literature  
24 has investigated triads with actors from three different organizations, Anderson-Cederholm and  
25 Gyimóthy (2010) and Tate *et al.* (2010) discussed service triads where two of the three actors  
26 came from the same organization, and the study by Agneessens and Wittek (2012) on inter-  
27 personal knowledge sharing was focused on triads within a single organization. Triads perform  
28 critical functions in specifying services, and monitoring service quality and supplier  
29 performance (Van der Valk and Van Iwaarden, 2011; Holma *et al.*, 2020). Building on this,  
30 this paper discusses the outcomes of the maturity assessments from a service triads'  
31 perspective. Such a perspective takes both the external service supply network and the internal  
32 stakeholder network into account since SMM is situated at their interface (Dubois and Wynstra,  
33 2005).  
34  
35  
36

## 37 **Methodology**

### 38 *Multiple case research design*

39  
40 The involvement of purchasing in SMM takes place in real life. Case studies are well suited  
41 to study such contemporary phenomena in real life empirical settings (Yin, 2014). The cases  
42 for our study were selected from a specific class of construction clients (higher education  
43 institutes or HEIs) for two reasons. First, HEIs are sufficiently large to meet the key selection  
44 criterion of institutional complexity. Having a separate purchasing function and multiple  
45 special client-interest groups, they constitute a relevant environment for conducting rich case  
46 studies into the construction client's role. The second reason for selecting HEIs was the desire  
47 to use an existing SMM maturity model that had been developed in another multiple case study  
48 using data from HEI cases (Anonymous, 2021). By duplicating the empirical context, it was  
49 straightforward to transfer the existing maturity model to this study. The maturity levels are  
50 operationalized in this model according to the six value chain integration stages discussed by  
51 Bemelmans *et al.* (2013) and clarified by Van Weele (2014, pp. 67-70). This approach offers a  
52 rich and informative assessment of SMM in a networked environment. Based on a content  
53 analysis, the six value chain integration stages of Van Weele's purchasing model (*transactional*  
54 *orientation*, *commercial orientation*, *maintenance coordination*, *internal integration*, *external*  
55 *integration*, and *value chain integration*) were translated from the purchasing function to the  
56 maintenance function while retaining the original characteristics levels in that process (maturity  
57  
58  
59  
60

dimension and level definitions are provided in Appendices A and B). The maturity dimensions were operationalized for measurement purposes by linking these stages to the maturity dimensions. For each of the 23 dimensions, level descriptions were developed in terms of requirements that must be met to achieve each level. An interview guide and data recording sheets were developed to assess each dimension.

Determining the number of cases to include in a study relates to the desired generalizability of the findings. In this research, the purpose is not to develop a grand theory but to develop an adapted service triad for the meaningful involvement of purchasing in SMM. The findings from the individual cases are generalized into the adapted service triad, rather than to populations of cases. Due to practical limitations in terms of time and resources, this study was limited to four cases in the Netherlands. Nevertheless, by offering transparency about the context in which the maturity model and the adapted service triad were developed, and by providing information about the research procedures followed, readers can evaluate the research approach and interpret the relevance and validity of the findings (Dubois and Araujo, 2007). In the conclusions section, we discuss how our findings can be transferred to other empirical contexts.

#### *Case study protocol and data collection*

A case study protocol was developed by the lead author that included an interview guide and data recording sheets as research instruments. Four HEIs were identified by the lead author through contacting senior facilities managers and initial interviews were held to check the suitability as a case (Table I). The critical selection criterion was the outsourcing of maintenance. To identify respondents for each case, the lead author conducted an initial interview with the maintenance manager. For each case, again the lead author selected four respondents from the HEI itself and two from a contractor.

*Table I. Case characteristics*

The lead author evaluated the interview guide and data recording sheets in a pilot interview with a professional unassociated with the four cases. Subsequently, he developed a case study protocol and instructed multiple interviewers on how to use the interview guide and data recording sheets. The interviewers also received training from the lead author about the structure of the maturity model. Twenty-four on-line interviews were conducted by teams of two trained interviewers. During the interviews, the answers provided by respondents were systematically recorded on data recording sheets. To validate the maturity assessments, a three-staged approach was used. In the first stage, each team of trained interviewers established preliminary maturity levels for their case based on the data recording sheets. In the second stage, the lead author compared the preliminary maturity levels of all the cases to the data as a quality check. The purpose of this second step was to ensure a consistent assignment of maturity levels in accordance with the available evidence across all the cases. During this procedure, the evidence reported by the HEI and the contractors were combined (Figure 1). In several instances, this procedure led to corrected scores and additional clarifying questions for the second round of interviews. In the final stage of the validation, for each case, the lead author conducted an interview with the HEI's key informant to discuss any issues that were still unclear.

*Figure 1. Procedure for assigning maturity levels*

#### *Data analysis*

Two tactics were used in cross-case analyses to compare the maturity assessment data from the four cases: replication and differentiation. The data analysis was conducted by the lead author

and was later checked by the second author. Both tactics were used to identify *value chain integration factors*: factors instrumental to the transition between maturity levels, which themselves had been conceptualized as stages in value chain integration. The replication tactic was used to look at cases with similar low-level assessments, because these might reveal barriers to maturity development. The differentiation tactic was used to analyze cases that were remarkably different from other cases. Distinct roles related to SMM were identified through hand-coding of the data recording sheets and the notes taken at the intake and exit interviews for the four case studies.

## Results

### *Identified maturity levels*

In general, the maturity levels determined in all the four cases were at the lower end of the maturity scale, with many scores of 2 or 3 out of a maximum of 6 (Table II). In terms of the maturity model, this reflects that, with respect to SMM, the HEIs' orientation is predominantly one based on commercial transactions and coordination. Higher levels of maturity were generally only found at HEI 2. To analyze the results in more detail and to identify value chain integration factors, as an intermediate step toward adapting the service triad, a cross-case analysis was conducted.

*Table II. Maturity assessment data from four cases*

### *Value chain integration factors*

*Value chain integration factors* are defined as factors that are instrumental in the transition between maturity levels, which have themselves been conceptualized as stages in value chain integration. For the sake of parsimony, we only present the cross-case analysis results that produced value chain integration factors (Table III).

*Table III. Identification of value chain integration factors*

The low scores on 'Tracking and tracing of jobs' and 'Evidence-based contract administration' indicate that contract management and contract governance is predominantly based on data supplied by the contractor, creating substantial information asymmetries between the HEI and a contractor. The results suggest that HEIs are dependent on the tacit knowledge of contractors. Contractors, through their work at different sites and locations, accumulate location-specific knowledge and develop a social network with end-user departments. In one case, we found evidence that interactions between a contractor and an end-user department led to innovative solutions of which the HEI's maintenance management department was unaware.

*Channeling communications* is therefore considered a value chain integration factor because it enables the alignment of end-user initiatives with corporate policies, minimizes information asymmetries, and disseminates innovations across the HEI.

Applying the replication tactic to the cases with a low maturity score for 'Predictive maintenance' revealed *asset criticality assessment* as another value chain integration factor. In the maturity model, the low scores on this dimension can be traced back to the absence of a documented method for analyzing and recording asset criticality. Asset criticality rates the importance of assets for an organization's business operation and the lack of a criticality assessment presents a barrier to greater maturity. Although engineers will probably have some notion of criticality in technical systems, an impact assessment of the business and organizational consequences of equipment failures may require other expertise. As such, clarifying and defining 'asset criticality' in the higher education business context is seen as a



value chain integration factor. While the low maturity scores for ‘Lifecycle modeling’ do not provide clear reasons for why none of the clients had adopted it, the absence of methods for analyzing and recording asset criticality could well be a reason for this.

Adopting a differentiation tactic when it comes to ‘Energy performance measurement and verification’ points to *smart maintenance sourcing planning* as a value chain integration factor. The high level of maturity of HEI 2 can be traced back to its advanced data integration of real time data streams with their second- and third -tier suppliers. This integration of real time data streams is absent in the other cases, suggesting that HEIs 1, 3 and 4 maybe do not know how to articulate their data needs or how to incorporate data supply as part of their purchasing arrangements. A sourcing plan for smart maintenance services could address this.

#### *Distinct roles related to SMM*

In the first round of coding, all references to purchasing related to smart maintenance were coded to gain a general understanding of this practice within HEIs. From this first round of coding, it became clear that SMM in HEIs involves different contractual arrangements and a wide diversity of business operations: from office environments to gardens and lecture rooms, and from restaurants to laboratories, cleanrooms, and workshops. In the second round of coding, references to distinct areas of functional and technical expertise were coded. Here a distinction emerged between project-based and routine-based maintenance. All the references were grouped into three overarching categories (Table IV). Unlike the maintenance management and the ICT roles, the project management role is not characterized by physical assets but by characteristics of project-based delivery in the construction industry.

*Table IV. SMM roles*

#### **Discussion**

The findings from the case study are now used to reflect on how the digital transition in maintenance supply chains affects a client’s purchasing department’s involvement in SMM. First, we develop and discuss a service hexad for SMM based on our findings and, subsequently, we present three ways for purchasing to increase an HEIs SMM maturity.

#### *From triadic to hexadic relationships*

Triadic relationships have been applied to the pre- and post-tender stages to specify services and monitor service delivery quality and supplier performance (Van Weele, 2014; Van der Valk and Van Iwaarden, 2011; Wynstra *et al.*, 2015; Holma *et al.*, 2020). These triads are used to organize human interactions among the supplier, the buyer, and end-users as service co-creators (Ellram *et al.*, 2004).

Our case study findings suggest that triads do not sufficiently describe the way that smart maintenance is specified, delivered, and monitored. The increasing digitalization of maintenance supply chains presents challenges that are not addressed by service triads. The reason why service triads may not accurately describe the interaction between buyer, supplier, and end-user, is that technical disciplines, despite their obvious role in SMM, are not incorporated in the service triad concept. The specification of services and the installation of sensors, measurement tools, and associated hardware and software, should be carefully tuned to the existing configurations of geometrical, mechanical, and electrical systems. As such, these project-based decisions cannot be taken in isolation from the client’s technical disciplines and the existing maintenance contractor. Based on our study, a model based on six, rather than three actors more realistically describes collaboration in SMM. Based on the three SMM roles identified in the case data, we propose a hexadic configuration that mirrors the six key subject positions that have a permanent and long-term interest in smart maintenance specification, delivery, and monitoring (Figure 2). The buyer’s role is broken down into four separate roles:

1  
2  
3 maintenance management, project management, ICT services, and purchasing, creating a  
4 service hexad. The service hexad more accurately describes the relationships between  
5 maintenance management, project management, ICT services, and purchasing and thereby  
6 reduces the risk of ambiguities between internal units. In the service hexad, purchasing serves  
7 as a bridge and a broker between project management, maintenance management, and ICT  
8 services, having oversight of all the suppliers and contractors that these functions use. Through  
9 the service hexad, purchasing can bring in valuable expertise and knowledge on risk  
10 management and legal affairs.  
11

12 While some relationships within the service hexad are predominantly unidirectional by  
13 design, others are bidirectional (Figure 2). The bidirectional relationship between purchasing  
14 and end-user can be used to investigate user requirements and disseminate innovations across  
15 end-user departments. Two other bidirectional relationships (contractor – maintenance  
16 management and contractor – end-user) enable ongoing interaction over respectively the  
17 contractor briefing and the delivery of services. A key bi-directional relationship is the one  
18 between maintenance management and project management because both functions are known  
19 for their silo-mentalities (Kumaraswamy, 2011; Smyth *et al.*, 2019). The relationships of  
20 maintenance management with the end-user and with purchasing are predominantly  
21 unidirectional, aimed at collecting and absorbing data as maintenance management  
22 information. Well developed service hexads can contribute to client leadership in supply  
23 networks by creating communication channels for the diffusion of new technologies and by  
24 supporting the adoption of new ICT solutions (Peansupap and Walker, 2006).  
25  
26  
27  
28  
29

30 *Figure 2. A service hexad indicating necessary relationships for SMM*

### 31 *Toward purchasing involvement in SMM*

32 Ueltschy Murfield *et al.* (2021) argue that, for meaningful involvement, purchasing needs  
33 to understand and communicate their value propositions in terms of innovation, margin  
34 enhancement, risk management, negotiations, and supplier management. Earlier in this paper,  
35 in the context of this study, we defined meaningful involvement of purchasing in SMM as the  
36 fulfilling of an intermediary role between the supplier and internal HEI units with the intention  
37 of increasing the HEI's SMM maturity. Based on the *value chain integration factors*, three  
38 ways for purchasing to increase SMM maturity can be identified.  
39

40 First, when SMM is in its initial stages of professional development, building hexadic  
41 relationships should be purchasing's priority. This is because this will channel the interactions  
42 between actors. It will address the development of the fundamental inter- and intra-  
43 organizational trust on which higher levels of maturity are built (Schiele and McCue, 2006).  
44 Hexadic relationships can help develop SMM from a 'transactional orientation' (stage 1)  
45 toward a 'commercial orientation' (stage 2).  
46

47 Second, when hexadic relationships are in place, the input and knowledge of end-user  
48 groups (budget holders such as faculties and business units) can be used to establish a shared  
49 and documented method and process for assessing asset criticality. Asset criticality integrates  
50 the risks of failures and the business value of assets. The main objective is to determine the  
51 consequences of potential failures and to prioritize maintenance policies and actions according  
52 to the associated risks (Márquez *et al.*, 2016; Gómez *et al.*, 2019). 'Defining asset criticality'  
53 is related to several maturity dimensions (such as predictive maintenance) and key to  
54 progressing SMM from 'maintenance coordination' (stage 3) toward 'internal integration'  
55 (stage 4) as the next maturity level. The meaningful involvement of purchasing in asset  
56 criticality assessment could involve the integration of quantitative analyses and data science  
57 techniques within the overall corporate strategy and business objectives to achieve a  
58  
59  
60

collaborative shared understanding of those assets that are key to business performance (Tranfield *et al.*, 2004). In doing so, purchasing will improve its value proposition through improved risk management (Ueltschy Murfield *et al.*, 2021) and raise the maturity of SMM.

Third, once the ‘internal integration’ (stage 4) maturity level has been reached, purchasing could be involved in a smart maintenance sourcing plan to take SMM to the ‘external integration’ (stage 5) and ‘value integration’ (stage 6) maturity levels. These high levels of maturity are characterized by the use of advanced data analytics, real-time monitoring, and predictive maintenance approaches for critical assets. Traditionally, these data uses are impeded by poor data quality and data integration problems (Bosch *et al.*, 2015; Becerik-Gerber *et al.*, 2012). The meaningful involvement of purchasing could address these issues through a dedicated sourcing plan for smart maintenance. Such a plan would define the maintenance services and specify the data-sets for specific assets to be delivered by the suppliers in the supply network. In an ideal situation, the sourcing plan for smart maintenance services would offer solutions for managing distributed and dispersed datasets. Through the meaningful involvement of purchasing, decisions on data and information formats could be made in interaction with network partners and suppliers. The hexadic relationships could also be used to evaluate client needs and identify projects that fit within the smart maintenance sourcing plan.

### Conclusions

This study provides insights into how purchasing can increase SMM maturity in construction clients by assessing current SMM maturity and by developing a service hexad for the meaningful involvement of purchasing in SMM. Data from maturity assessments of four HEIs were used to develop a service hexad that structures the collaboration between multiple client roles. Further, three ways were identified in which purchasing could increase SMM maturity: by building hexadic relationships, by defining and documenting asset criticality, and by developing a smart maintenance sourcing plan.

The implementation of the service hexad aims to provide construction clients with a stronger position in supply networks, redefining the purpose of both its maintenance management and project management roles. This will also alter the role of construction managers. While construction management’s traditional role has focused on delivering the technical artifact, its future role will be influenced by an increase in data management tasks and responsibilities. The collection and supply of reliable, high quality asset data during construction and at handover will become an increasingly important part of construction managers responsibilities.

A stronger position of construction clients in supply networks brings potential improvements to professional practice on three areas. First, the extension of the construction management role with data supply responsibilities will improve all building related purchasing and procurement practices. The increased reliability of the asset register reduces information asymmetries between client and contractors and allows procurement costs to be estimated upfront with greater accuracy. Second, the incorporation of the project management, the maintenance management, and the ICT services functions in the service hexad enables a better articulation of the client’s needs when defining multidisciplinary investment projects. This will improve the quality of the project definitions and the briefing practices. And finally, the service hexad enables systematic communication between project managers and maintenance managers within the construction client, fueling mutual trust between those groups with traditionally opposing interests, which in turn contributes to a more collaborative culture.

While the digital technologies of smart maintenance are promising, their implementation by construction clients is falling behind, due to the organizational changes that are required to benefit from the technologies. Many theoretical concepts, models and frameworks have been developed in the academic world that describe applications of digital technologies for smart

1  
2  
3 maintenance. Construction clients and practitioners however, are struggling to apply that  
4 knowledge in real world settings. This study is an attempt to start bridging the gap between  
5 theoretical knowledge and the professional practice of construction clients, by designing a  
6 framework for collaboration (the service hexad) of six professional interest groups. Within the  
7 service hexad, new practices can be co-created. Replacing old practices by new ones, however,  
8 is complicated in large, institutionalized organizations. Further research therefore is needed  
9 into the behavioral change mechanisms that are associated with digitalization in construction  
10 clients.  
11

12 While the findings of this study are derived from a particular class of construction clients  
13 (HEIs), they can, with some changes or further research be translated to other empirical  
14 contexts. Using ownership (owner-occupied versus investor-owned) and occupancy (single-  
15 user versus multi-user) as two axes of a two-by-two matrix, four empirical contexts can be  
16 distinguished that are relevant for transferring the proposed service hexad. The service hexad  
17 was developed based on owner-occupied properties, and this research did not compare the  
18 HEIs' single-user and multi-user properties. When applying the service hexad to owner-  
19 occupied multi-user properties, individual hexadic relationships will need to be developed with  
20 each individual user. This introduces additional questions with respect to user-representation,  
21 and the need to combine and integrate the needs, wishes, and desires of multiple users.  
22


23 While implementation of the service hexad in owner-occupied multi-user properties might  
24 be a small step, transferring it to investor-owned rental properties is a greater step, and this will  
25 require further research. In investor-owned rental properties, tenants lease the property (or part  
26 of it) from the owner for short or long periods. This introduces additional contractual  
27 complexities related to the consequences of the various possible leasing arrangements. An  
28 important aspect is how the demarcation between owner's and tenant's rights and  
29 responsibilities for fixtures and finishings, and for mechanical and electrical infrastructure and  
30 utilities will influence the hexadic relationships for SMM. Another issue is the execution of  
31 ownership rights. On the basis that the owner exploits property for financial reasons, it is  
32 unlikely that the management of the physical assets is considered a core activity. When the  
33 various roles in the service hexad are outsourced by the owner to commercial agents, instead  
34 of being embedded in the construction client's organization, the service hexad will be governed  
35 by the various contractual arrangements that the owner has with tenants and service agents.  
36 How this will influence the enactment of roles within the service hexad, is a topic for further  
37 research.  
38  
39  
40  
41

### 42 **Acknowledgements**

43 This research was financially supported by the Netherlands Organization for Scientific  
44 Research (NWO) under project number: 023.007.046 and by the Amsterdam University of  
45 Applied Sciences. This research has been approved by RMIT's Human Research Ethics  
46 Committee, granted number: 20747. Elements of this paper were presented at the IPSERA  
47 online 2021 conference.  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60

**Appendix A**



**Appendix B**

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33
- 34
- 35
- 36
- 37
- 38
- 39
- 40
- 41
- 42
- 43
- 44
- 45
- 46
- 47
- 48
- 49
- 50
- 51
- 52
- 53
- 54
- 55
- 56
- 57
- 58
- 59
- 60

## References


- Agneessens, F., and Wittek, R. (2012), 'Where do intra-organizational advice relations come from? The role of informal status and social capital in social exchange', *Social Networks*, Vol. 34 No. 3, pp.333–345. <https://doi.org/10.1016/j.socnet.2011.04.002>
- Aliakbarlou, S., Wilkinson, S., and Costello, S.B. (2017), 'Exploring construction client values and qualities: Are these two distinct concepts in construction studies?', *Built Environment Project and Asset Management*, Vol. 7 No. 3, pp.234–252. <https://doi.org/10.1108/BEPAM-06-2016-0023>
- Andersson-Cederholm, E., and Gyimóthy, S. (2010), 'The service triad: Modelling dialectic tensions in service encounters', *The Service Industries Journal*, Vol. 30 No. 2, pp.265–280. <https://doi.org/10.1080/02642060802123384>
- Anonymous. (2021), 'Identifying Maturity Dimensions for Smart Maintenance Management of Constructed Assets: A Multiple Case Study', *Journal of Construction Engineering and Management*, Vol. 147 No. 9, pp.05021007/1–05021007/15. [https://doi.org/10.1061/\(ASCE\)CO.1943-7862.0002112](https://doi.org/10.1061/(ASCE)CO.1943-7862.0002112)
- Barrett, P.S., Hudson, J., and Stanley, C. (1999), 'Good practice in briefing: The limits of rationality', *Automation in Construction*, Vol. 8 No. 6, pp.633–642. [https://doi.org/10.1016/S0926-5805\(98\)00108-3](https://doi.org/10.1016/S0926-5805(98)00108-3)
- Becerik-Gerber, B., Jazizadeh, F., Li, N., and Calis, G. (2012), 'Application areas and data requirements for BIM-enabled facilities management', *Journal of Construction Engineering and Management*, Vol. 138 No. 3, pp.431–442. [https://doi.org/10.1061/\(ASCE\)CO.1943-7862.0000433](https://doi.org/10.1061/(ASCE)CO.1943-7862.0000433)
- Bemelmans, J., Voordijk, H., and Vos, B. (2013), 'Designing a tool for an effective assessment of purchasing maturity in construction', *Benchmarking: An International Journal*, Vol. 20 No. 3, pp.342-361.
- Bokrantz, J., Skoogh, A., Berlin, C., Wuest, T., and Stahre, J. (2020), 'Smart maintenance: An empirically grounded conceptualization', *International Journal of Production Economics*, <https://doi.org/10.1016/j.ijpe.2019.107534>
- Bosch, A., Volker, L., and Koutamanis, A. (2015), 'BIM in the operations stage: Bottlenecks and implications for owners', *Built Environment Project and Asset Management*, Vol. 5 No. 3, pp.331–343. <https://doi.org/10.1108/BEPAM-03-2014-0017>
- Boyd, D., and Chinyio, E.A. (2006), *Understanding the Construction Client*. Blackwell Publishing, Oxford, UK. <https://wlv.openrepository.com/handle/2436/28872>
- Bresnen, M., and Marshall, N. (2000), 'Partnering in construction: A critical review of issues, problems and dilemmas', *Construction Management and Economics*, Vol. 18 No. 2, pp.229–237. <https://doi.org/10.1080/014461900370852>
- Briscoe, G.H., Dainty, A.R.J., Millett, S.J., and Neale, R.H. (2004), 'Client-led strategies for construction supply chain improvement', *Construction Management and Economics*, Vol. 22 No. 2, pp.193–201. <https://doi.org/10.1080/0144619042000201394>
- Cherns, A.B., and Bryant, D.T. (1984), 'Studying the client's role in construction management', *Construction Management and Economics*, Vol. 2 No. 2, pp.177–184. <https://doi.org/10.1080/01446198400000016>
- Dubois, A., and Araujo, L. (2007), 'Case research in purchasing and supply management: Opportunities and challenges', *Journal of Purchasing and Supply Management*, Vol. 13 No. 3, pp.170-181. doi:<https://doi.org/10.1016/j.pursup.2007.09.002>
- Dubois, A., and Wynstra, J.Y.F. (2005), 'Organising the purchasing function as an interface between internal and external networks'. In Wynstra, J.Y.F., Dittrich, K., and Jaspers, F.P.H. (Ed.s), *Dealing with Dualities. Proceedings of the 21st Annual IMP Conference*. Erasmus University Rotterdam, Rotterdam.

- 1  
2  
3 Ellram, L.M., Tate, W.L., and Billington, C. (2004), 'Understanding and managing the  
4 services supply chain', *Journal of Supply Chain Management*, Vol. 40 No. 3, pp.17-32.  
5 doi:<https://doi.org/10.1111/j.1745-493X.2004.tb00176.x>  
6  
7 Ellram, L., and Tate, W.L. (2015), 'Redefining supply management's contribution in services  
8 sourcing', *Journal of Purchasing and Supply Management*, Vol. 21 No. 1, pp.64–78.  
9 <https://doi.org/10.1016/j.pursup.2014.10.001>  
10  
11 Finne, M., and Holmström, J. (2013), 'A manufacturer moving upstream: Triadic  
12 collaboration for service delivery', *Supply Chain Management: An International*  
13 *Journal*, Vol. 18 No.1, pp.21–33. <https://doi.org/10.1108/13598541311293159>  
14  
15 Gómez, J. Fco., Fernández, P.M.-G., Guillén, A.J., and Márquez, A.C. (2019), 'Risk-Based  
16 Criticality for Network Utilities Asset Management', *IEEE Transactions on Network and*  
17 *Service Management*, Vol. 16 No. 2, pp.755–768.  
18 <https://doi.org/10.1109/TNSM.2019.2903985>  
19  
20 Greenwood, R., Raynard, M., Kodeih, F., Micelotta, E.R., and Lounsbury, M. (2011),  
21 'Institutional Complexity and Organizational Responses', *Academy of Management*  
22 *Annals*, Vol. 5 No. 1, pp.317–371. <https://doi.org/10.5465/19416520.2011.590299>  
23  
24 Holma, A.-M., Vesalainen, J., Söderman, A., and Sammalmaa, J. (2020), 'Service  
25 specification in pre-tender phase of public procurement—A triadic model of meaningful  
26 involvement', *Journal of Purchasing and Supply Management*, Vol. 26 No. 1,  
27 pp.100580. <https://doi.org/10.1016/j.pursup.2019.100580>  
28  
29 Johnson, P.F., and Leenders, M. R. (2003), 'Gaining and Losing Pieces of the Supply Chain',  
30 *Journal of Supply Chain Management*, Vol. 39 No. 4, pp.27–39.  
31 <https://doi.org/10.1111/j.1745-493X.2003.tb00147.x>  
32  
33 Kuitert, L., Volker, L., and Hermans, M.H. (2019), 'Taking on a wider view: Public value  
34 interests of construction clients in a changing construction industry', *Construction*  
35 *Management and Economics*, Vol. 37 No. 5, pp.257–277.  
36 <https://doi.org/10.1080/01446193.2018.1515496>  
37  
38 Kumaraswamy, M. (2011), 'Editorial: Integrating infrastructure project management with its  
39 built asset management', *Built Environment Project and Asset Management*, Vol. 1 No.  
40 1, pp.5–13.  
41  
42 Lee, J., Kao, H.-A., and Yang, S. (2014), *Service Innovation and Smart Analytics for Industry*  
43 *4.0 and Big Data Environment*. In Proceedings of the 6th CIRP Conference on Industrial  
44 Product-Service Systems, pp.3–8. Paris: International Institution for Production  
45 Engineering Research. <https://doi.org/10.1016/j.procir.2014.02.001>  
46  
47 Li, M., and Choi, T.Y. (2009), 'Triads in Services Outsourcing: Bridge, Bridge Decay and  
48 Bridge Transfer', *Journal of Supply Chain Management*, Vol. 45 No. 3, pp.27–39.  
49 <https://doi.org/10.1111/j.1745-493X.2009.03169.x>  
50  
51 Li, D., Liu, G., Jia, F., and Sun, H. (2019), 'Sharing economy-based service triads: Towards  
52 an integrated framework and a research agenda', *Journal of Cleaner Production*, Vol.  
53 218, pp.1031–1044. <https://doi.org/10.1016/j.jclepro.2019.02.019>  
54  
55 Loosemore, M., and Chandra, V. (2012), 'Learning through briefing: For strategic facilities  
56 management in the health sector', *Built Environment Project and Asset Management*,  
57 Vol. 2 No. 1, pp.103–117. <https://doi.org/10.1108/20441241211235080>  
58  
59 Loosemore, M., and Richard, J. (2015), 'Valuing innovation in construction and  
60 infrastructure: Getting clients past a lowest price mentality', *Engineering, Construction*  
*and Architectural Management*, Vol. 22 No. 1, pp.38–53.  
<https://doi.org/10.1108/ECAM-02-2014-0031>  
Márquez, A.C., León, P.M. de, Rosique, A.S., and Fernández, J.F.G. (2016), 'Criticality  
Analysis for Maintenance Purposes: A Study for Complex In-service Engineering



- Assets', *Quality and Reliability Engineering International*, Vol. 32 No. 2, pp.519–533.  
<https://doi.org/10.1002/qre.1769>
- Murray, J.G. (2009), 'Towards a common understanding of the differences between purchasing, procurement and commissioning in the UK public sector', *Journal of Purchasing and Supply Management*, 15(3), 198–202.  
<https://doi.org/10.1016/j.pursup.2009.03.003>
- Peansupap, V., and Walker, D.H.T. (2006), 'Innovation diffusion at the implementation stage of a construction project: A case study of information communication technology', *Construction Management and Economics*, Vol. 24 No. 3, pp.321–332.  
<https://doi.org/10.1080/01446190500435317>
- Peng, T.A., Lin, N., Martinez, V., and Yu, C.J. (2010), 'Managing triads in a military avionics service maintenance network in Taiwan', *International Journal of Operations & Production Management*, Vol. 30 No. 4, pp.398–422.  
<https://doi.org/10.1108/01443571011029985>
- Schiele, J.J., and McCue, C.P. (2006), 'Professional service acquisition in public sector procurement: A conceptual model of meaningful involvement', *International Journal of Operations & Production Management*, Vol. 26 No. 3, pp.300–325.  
<https://doi.org/10.1108/01443570610646210>
- Smyth, H., Razmdoost, K., and Mills, G.R.W. (2019), 'Service innovation through linking design, construction and asset management', *Built Environment Project and Asset Management*, Vol. 9 No. 1, 80–86. <https://doi.org/10.1108/BEPAM-03-2019-136>
- Tate, W.L., Ellram, L.M., Bals, L., Hartmann, E., and van der Valk, W. (2010), 'An agency theory perspective on the purchase of marketing services', *Industrial Marketing Management*, Vol. 39 No. 5, pp.806–819.  
<https://doi.org/10.1016/j.indmarman.2009.08.005>
- Tranfield, D., Denyer, D., and Burr, M. (2004), 'A framework for the strategic management of long-term assets (SMoLTA)', *Management Decision*, Vol. 42 No. 2, pp.277–291.  
<https://doi.org/10.1108/00251740410518516>
- Ueltschy Murfield, M.L., Ellram, L.M., and Giunipero, L.C. (2021), 'Evaluating the identity of purchasing & supply management: Roadblocks to moving beyond a cost-focused identity', *Journal of Purchasing and Supply Management*, 100687.  
<https://doi.org/10.1016/j.pursup.2021.100687>
- Van der Valk, W., and van Iwaarden, J. (2011), 'Monitoring in service triads consisting of buyers, subcontractors and end customers', *Journal of Purchasing and Supply Management*, Vol. 17 No. 3, pp.198–206. <https://doi.org/10.1016/j.pursup.2011.05.002>
- Van Weele, A.J. (2014), *Purchasing and supply chain management* (6th ed.). Cengage Learning EMEA, Andover, UK.
- Wynstra, F., Spring, M., and Schoenherr, T. (2015), 'Service triads: A research agenda for buyer–supplier–customer triads in business services', *Journal of Operations Management*, Vol. 35, pp.1–20. <https://doi.org/10.1016/j.jom.2014.10.002>
- Yin, R.K. (2014), *Case study research: Design and methods*. Sage, Thousand Oaks, CA.


Figure 1. Procedure for assigning maturity levels



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60

Asset Management

Figure 2. A service hexad indicating necessary relationships for SMM



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60

Table I. Case characteristics

	HEI 1	HEI 2	HEI 3	HEI 4
University	Applied	Research	Applied	Research
Students	25,700	24,100	27,300	26,600
Gross floor area (m <sup>2</sup> )	125,570	387,000	127,000	440,000
Buildings	5	49	10	22
Spatial distribution	3 cities	1 city	3 cities	1 city

Table II. Maturity assessment data from the four cases

	HEI 1	HEI 2	HEI 3	HEI 4
Governance of projects	4	4	4	4
Governance of outsourced maintenance	4	4	4	4
Governance of asset data	3	5	3	3
Alignment of processes	3	3	1	3
Alignment of data definitions	3	3	1	2
Alignment of systems	3	4	1	2
Tracking and tracing of assets	3	4	2	2
Tracking and tracing of conditions	2	3	3	2
Tracking and tracing of jobs	1	1	1	1
Lifecycle modelling	1	2	1	1
Predictive maintenance	1	2	2	1
Evidence-based contract administration	1	3	1	1
Energy performance M&V	3	6	1	2
Asset monitoring and replacement programming	3	5	2	2
Project manager support	2	3	1	2
Maintenance contractor coaching	2	3	1	2
Knowledge creation	2	3	2	2
Maintenance needs and requirements	3	5	2	3
Handling non-standard asset data	2	3	1	1
Valuation of asset data	1	3	2	2
Innovation approach	2	4	3	2
Safe learning environment	2	4	5	2
Collaborative business values and goals	2	2	2	1

1 = transactional orientation; 2 = commercial orientation; 3 = coordination  
 4 = internal integration; 5 = external integration; 6 = value chain integration

Table III. Identification of value chain integration factors

Cross-case tactic	Cases	Maturity dimension	Value chain integration factor (VIF)	Barrier or driver?
Replication	1,2,3,4	Tracking and tracing of jobs	Channeling communications	Barrier
Replication	1,3,4	Evidence based contract administration	Channeling communications	Barrier
Replication	1,4+2,3	Predictive maintenance	Asset criticality assessment	Barrier
Differentiation	2 vs 3,4	Energy performance measurement and verification	Smart maintenance sourcing planning	Driver

Table IV. SMM roles

SMM role	Functional and technological domains
Project management	New construction, new installations, European procurement rules, construction supply chain management, project handover
Maintenance management	Existing buildings, building services, lighting, HVAC*, power plants, energy systems and utilities, water supply and sanitation, sensing and measurement systems, vertical transportation, security, fire safety, BMS, building regulations, health and safety inspections
Information and communication technology (ICT)	Hardware, software (as a service), information architecture, (wireless) networks, cloud-based data storage, data security

\*: HVAC: heating, ventilation, and air conditioning

\*\* : BMS: Building management system

## Appendix A

Governance structure		
1.1	Governance of projects	Describes how responsibilities for initiating and delivering projects are allocated. Includes projects related to new construction as well as refurbishments and replacements.
1.2	Governance of outsourced maintenance	Describes how responsibilities for maintenance and maintenance outsourcing are allocated. Includes corrective as well as planned preventative maintenance.
1.3	Governance of asset data	Describes how responsibilities for defining, capturing and storing of asset data are allocated.
Alignment		
2.1	Alignment of processes	Refers to the way in which the processes and work instructions of the maintenance department are documented and aligned with internal teams, external contractors, and service agents.
2.2	Alignment of data definitions	Refers to the way in which asset data definitions of the maintenance department are aligned with those of the capital works team, external contractors, and service agents.
2.3	Alignment of systems	Refers to the way information systems, tools, and applications of the maintenance department are aligned with those of the capital works team, external contractors, and service agents.
Tracking and tracing		
3.1	Tracking and tracing of assets	Refers to the way the maintenance team identifies individual assets and according to which level of detail an asset register is operated.
3.2	Tracking and tracing of condition	Refers to the scale and frequency of condition audits by the maintenance organization.
3.3	Tracking and tracing of jobs	Refers to the way individual maintenance jobs and their costs can be traced back to individual assets.
Data-driven decision-making		
4.1	Lifecycle modelling	A structured and systematic approach to analyze and predict the service life of assets and asset classes.
4.2	Predictive maintenance	The ability to implement and use predictive maintenance policies for critical assets.
4.3	Evidence-based contract administration	Supporting the purchasing department with evidence-based information about the number of maintainable assets and maintenance jobs.
Sustainability monitoring		
5.1	Energy performance measurement and verification (M&V)	The consistent evaluation of the energy performance of assets and asset infrastructure configurations. Energy performance assesses the efficiency of asset infrastructure in delivering output at given business operation levels (heating, cooling, ventilation, etc.) related to inputs used (gas, electricity).
5.2	Asset monitoring and replacement programming	Systematic and regular review and analysis of the asset portfolio from a lifecycle perspective with the purpose of improving overall sustainability performance by upgrading assets.
Knowledge management		
6.1	Project manager support	The methods used to train, instruct, and coach project managers in their data capturing roles during project delivery and handover.
6.2	Maintenance contractor instruction and coaching	The methods used to train, instruct, and coach the maintenance contractors and inspection agencies in barcoding assets, tagging maintenance jobs to assets, and tagging condition audits to assets.
6.3	Knowledge creation	The methods and procedures used to combine explicit and tacit information.
6.4	Maintenance needs and requirements	The processes and methods used to articulate, express, and specify projected maintenance requirements in terms of both volume and technical and functional specifications.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60

Culture		
7.1	Handling non-standard asset data	The behaviors of individuals in dealing with unfamiliar, unknown, and non-standard facts, information, and data.
7.2	Valuation of asset data	The behaviors of individuals in recognizing the value of asset data for improving maintenance processes.
7.3	Innovation approach	The policies and practices adopted for improving existing data-driven services and developing new data-driven services.
Leadership		
8.1	Safe learning environment	The practices and methods used to create a safe environment for trying and piloting new ways of working.
8.2	Collaborative business values and goals	The practices and methods used to establish common business values and goals in the relationships with internal and external stakeholders.

**Appendix B**

Stage 1	Transactional orientation	In this stage, the maintenance organization is orientated towards operational and administrative activities. The primary focus of the maintenance organization is to ensure the daily operations of a building's facilities and systems. Maintenance jobs are outsourced in a rather improvised manner and in various, somewhat random, work packages. There is no systematic way of creating maintenance work packages. For the same service category, there are many different contractors at work.
Stage 2	Commercial orientation	At this stage, a more proactive approach to maintenance and maintenance outsourcing is to be found with a focus on cost control. Maintenance is considered a cost to the organization and maintenance strategies are aimed at controlling costs, measuring contractor performance, and realizing savings. Maintenance purchasing is aimed at comparing prices, obtaining competitive bids, and negotiating with suppliers.
Stage 3	Maintenance coordination	In this stage, maintenance and asset data are not viewed as a cost to the organization but as a service with a quality of its own. The maintenance organization develops activities aimed at improving communication with end-users and business units as well as with other CFM functions. It collaborates with internal business units and has oversight over the maintenance portfolios.
Stage 4	Internal integration	In this stage, the maintenance organization enjoys a good collaboration with end-users, business units, and other Corporate Facilities Management functions such as capital works, procurement, and real estate management. The data and information systems of the maintenance organization are aligned and integrated with those of other functions. Cross-functional teams are used to solve intra-organizational maintenance problems. Key maintenance contractors and data- or ICT-suppliers are often involved in cross functional problem solving.
Stage 5	External integration	In this stage, the originally large number of contractors has been decreased to a small group of preferred or key maintenance contractors or data- and ICT-related service agents. These are actively involved in process innovations and new service developments aimed at creating end-user value. Information systems are not only internally integrated but also externally with those of suppliers.
Stage 6	Value chain integration	In this stage, maintenance subcontractors and specialized suppliers and their partners are constantly challenged and invited to contribute to the continuous improvement cycle of the maintenance organization. In an entrepreneurial culture, the goal is to develop the most effective maintenance value chain for servicing end-users and the business units.