

# Clinimetrics: Assessment of generalised joint hypermobility: the Beighton score

**Author(s)**

Engelbert, Raoul HH; Rombaut, Lies

**DOI**

[10.1016/j.jphys.2022.02.004](https://doi.org/10.1016/j.jphys.2022.02.004)

**Publication date**

2022

**Document Version**

Proof

**Published in**

Journal of Physiotherapy

**License**


CC BY-NC-ND

[Link to publication](#)

**Citation for published version (APA):**

Engelbert, R. HH., & Rombaut, L. (2022). Clinimetrics: Assessment of generalised joint hypermobility: the Beighton score. *Journal of Physiotherapy*, 68(3), 208-208.

<https://doi.org/10.1016/j.jphys.2022.02.004>

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please contact the library: <https://www.amsterdamuas.com/library/contact/questions>, or send a letter to: University Library (Library of the University of Amsterdam and Amsterdam University of Applied Sciences), Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

## Amsterdam University of Applied Sciences

### Clinimetrics: Assessment of generalised joint hypermobility: the Beighton score

Engelbert, Raoul H. H.; Rombaut, Lies

**Publication date**

2022

**Document Version**

Proof

**Published in**

Journal of Physiotherapy

**License**

CC BY-NC-ND

[Link to publication](#)

**Citation for published version (APA):**

Engelbert, R. H. H., & Rombaut, L. (2022). Clinimetrics: Assessment of generalised joint hypermobility: the Beighton score. *Journal of Physiotherapy*, 68(3), 208-208.

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).





**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please contact the library: <https://www.amsterdamuas.com/library/contact/questions>, or send a letter to: University Library (Library of the University of Amsterdam and Amsterdam University of Applied Sciences), Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.














## INSTRUCTIONS ON THE ANNOTATION OF PDF FILES


To view, print and annotate your content you will need Adobe Reader version 9 (or higher). This program is freely available for a whole series of platforms that include PC, Mac, and UNIX and can be downloaded from <http://get.adobe.com/reader/>. The exact system requirements are given at the Adobe site: <http://www.adobe.com/products/reader/tech-specs.html>.

*Note: Please do NOT make direct edits to the PDF using the editing tools as doing so could lead us to overlook your desired changes. Rather, please request corrections by using the tools in the Comment pane to annotate the PDF and call out the changes you are requesting. If you opt to annotate the file with software other than Adobe Reader then please also highlight the appropriate place in the PDF file.*

PDF ANNOTATIONS	
Adobe Reader version 9	Adobe Reader version X and XI
<p>When you open the PDF file using Adobe Reader, the Commenting tool bar should be displayed automatically; if not, click on 'Tools', select 'Comment &amp; Markup', then click on 'Show Comment &amp; Markup tool bar' (or 'Show Commenting bar' on the Mac). If these options are not available in your Adobe Reader menus then it is possible that your Adobe Acrobat version is lower than 9 or the PDF has not been prepared properly.</p>  <p>(Mac)</p> <p><b>PDF ANNOTATIONS (Adobe Reader version 9)</b></p> <p>The default for the Commenting tool bar is set to 'off' in version 9. To change this setting select 'Edit   Preferences', then 'Documents' (at left under 'Categories'), then select the option 'Never' for 'PDF/A View Mode'.</p>  <p>(Changing the default setting, Adobe version 9)</p>	<p>To make annotations in the PDF file, open the PDF file using Adobe Reader XI, click on 'Comment'.</p> <p>If this option is not available in your Adobe Reader menus then it is possible that your Adobe Acrobat version is lower than XI or the PDF has not been prepared properly.</p>  <p>This opens a task pane and, below that, a list of all Comments in the text. These comments initially show all the changes made by our copyeditor to your file.</p> 

## HOW TO...

HOW TO...		
Action	Adobe Reader version 9	Adobe Reader version X and XI
<b>Insert text</b>	<p>Click the 'Text Edits' button  on the Commenting tool bar. Click to set the cursor location in the text and simply start typing. The text will appear in a commenting box. You may also cut-and-paste text from another file into the commenting box. Close the box by clicking on 'x' in the top right-hand corner.</p>	<p>Click the 'Insert Text' icon  on the Comment tool bar. Click to set the cursor location in the text and simply start typing. The text will appear in a commenting box. You may also cut-and-paste text from another file into the commenting box. Close the box by clicking on '_'  in the top right-hand corner.</p>
<b>Replace text</b>	<p>Click the 'Text Edits' button  on the Commenting tool bar. To highlight the text to be replaced, click and drag the cursor over the text. Then simply type in the replacement text. The replacement text will appear in a commenting box. You may also cut-and-paste text from another file into this box. To replace formatted text (an equation for example) please <a href="#">Attach a file</a> (see below).</p>	<p>Click the 'Replace (Ins)' icon  on the Comment tool bar. To highlight the text to be replaced, click and drag the cursor over the text. Then simply type in the replacement text. The replacement text will appear in a commenting box. You may also cut-and-paste text from another file into this box. To replace formatted text (an equation for example) please <a href="#">Attach a file</a> (see below).</p>
<b>Remove text</b>	<p>Click the 'Text Edits' button  on the Commenting tool bar. Click and drag over the text to be deleted. Then press the delete button on your keyboard. The text to be deleted will then be struck through.</p>	<p>Click the 'Strikethrough (Del)' icon  on the Comment tool bar. Click and drag over the text to be deleted. Then press the delete button on your keyboard. The text to be deleted will then be struck through.</p>
<b>Highlight text/ make a comment</b>	<p>Click on the 'Highlight' button  on the Commenting tool bar. Click and drag over the text. To make a comment, double click on the highlighted text and simply start typing.</p>	<p>Click on the 'Highlight Text' icon  on the Comment tool bar. Click and drag over the text. To make a comment, double click on the highlighted text and simply start typing.</p>
<b>Attach a file</b>	<p>Click on the 'Attach a File' button  on the Commenting tool bar. Click on the figure, table or formatted text to be replaced. A window will automatically open allowing you to attach the file. To make a comment, go to 'General' in the 'Properties' window, and then 'Description'. A graphic will appear in the PDF file indicating the insertion of a file.</p>	<p>Click on the 'Attach File' icon  on the Comment tool bar. Click on the figure, table or formatted text to be replaced. A window will automatically open allowing you to attach the file. A graphic will appear indicating the insertion of a file.</p>
<b>Leave a note/ comment</b>	<p>Click on the 'Note Tool' button  on the Commenting tool bar. Click to set the location of the note on the document and simply start typing. <u>Do not use this feature to make text edits.</u></p>	<p>Click on the 'Add Sticky Note' icon  on the Comment tool bar. Click to set the location of the note on the document and simply start typing. <u>Do not use this feature to make text edits.</u></p>

HOW TO...		
Action	Adobe Reader version 9	Adobe Reader version X and XI
<b>Review</b>	To review your changes, click on the 'Show' button  on the Commenting tool bar. Choose 'Show Comments List'. Navigate by clicking on a correction in the list. Alternatively, double click on any mark-up to open the commenting box.	Your changes will appear automatically in a list below the Comment tool bar. Navigate by clicking on a correction in the list. Alternatively, double click on any mark-up to open the commenting box.
<b>Undo/delete change</b>	To undo any changes made, use the right click button on your mouse (for PCs, Ctrl-Click for the Mac). Alternatively click on 'Edit' in the main Adobe menu and then 'Undo'. You can also delete edits using the right click (Ctrl-click on the Mac) and selecting 'Delete'.	To undo any changes made, use the right click button on your mouse (for PCs, Ctrl-Click for the Mac). Alternatively click on 'Edit' in the main Adobe menu and then 'Undo'. You can also delete edits using the right click (Ctrl-click on the Mac) and selecting 'Delete'.


#### SEND YOUR ANNOTATED PDF FILE BACK TO ELSEVIER

Save the annotations to your file and return as instructed by Elsevier. Before returning, please ensure you have answered any questions raised on the Query Form and that you have inserted all corrections: later inclusion of any subsequent corrections cannot be guaranteed.

#### FURTHER POINTS

- Any (grey) halftones (photographs, micrographs, etc.) are best viewed on screen, for which they are optimized, and your local printer may not be able to output the greys correctly.
- If the PDF files contain colour images, and if you do have a local colour printer available, then it will be likely that you will not be able to correctly reproduce the colours on it, as local variations can occur.
- If you print the PDF file attached, and notice some 'non-standard' output, please check if the problem is also present on screen. If the correct printer driver for your printer is not installed on your PC, the printed output will be distorted.

**AUTHOR QUERY FORM**

 <b>ELSEVIER</b>	<b>Journal:</b> JPHYS  <b>Article Number:</b> 773	<b>Please e-mail your responses and any corrections to:</b>  <b>E-mail:</b> <a href="mailto:l.burbery@elsevier.com">l.burbery@elsevier.com</a>
--	---	--

Dear Author,

Please check your proof carefully and mark all corrections at the appropriate place in the proof (e.g., by using on-screen annotation in the PDF file) or compile them in a separate list. **It is crucial that you NOT make direct edits to the PDF using the editing tools as doing so could lead us to overlook your desired changes.** Note: if you opt to annotate the file with software other than Adobe Reader then please also highlight the appropriate place in the PDF file. To ensure fast publication of your paper please return your corrections within 48 hours.

For correction or revision of any artwork, please consult <http://www.elsevier.com/artworkinstructions>.

Any queries or remarks that have arisen during the processing of your manuscript are listed below and highlighted by flags in the proof.

<b>Location in article</b>	<b>Query / Remark: Click on the Q link to find the query's location in text Please insert your reply or correction at the corresponding line in the proof</b>
<b>Q1</b>	<p>If there are any drug dosages in your article, please verify them and indicate that you have done so by initialing this query</p> <p><b>Q2</b> When you say remains essential, do you mean remains unassessed? Please amend accordingly, thanks</p> <p><b>Q3</b> Please would you also include initials after the author's surname for all references. This type of paper uses the shortened reference style with the first author only, followed by et al. E.g. 1. Thelen MD, et al. <i>J Orthop Sports PhysTher.</i> 2008;38:389–395.</p> <p>Please confirm that given names and surnames have been identified correctly and are presented in the desired order and please carefully verify the spelling of all authors' names.</p> <div data-bbox="304 1410 895 1591" style="border: 1px solid black; padding: 5px;"> <p>Please check this box or indicate your approval if you have no corrections to make to the PDF file</p> <input data-bbox="791 1470 876 1551" type="checkbox"/> </div>

Thank you for your assistance.



## Appraisal

## Clinimetrics: Assessment of generalised joint hypermobility: the Beighton score

### Summary

**Description:** Joint hypermobility (JH) is defined as the ability of a joint to move beyond normal limits along physiological axes. Joint hypermobility is relatively common, occurring in 7 to 36% of children and adolescents, and in 2 to 57% of adult populations,<sup>1-7</sup> with significantly higher rates amongst children, females, and Asian and African racial groups.

When JH is observed in fewer than five joints, it may be defined as localised joint hypermobility. Localised joint hypermobility affects a single small or large joint and may be bilateral, and may be an inherited or acquired trait related to trauma or training. The term generalised joint hypermobility (GJH) is preferred in individuals with JH at multiple sites (usually five or more).<sup>8</sup>

Joint hypermobility may occur as a result of non-pathological or pathological causes. In the non-pathological group, subjects do not develop severe musculoskeletal complaints<sup>5</sup> and JH is even an advantage for some (eg, dance and music).<sup>6</sup> In the pathological group, JH is associated with musculoskeletal complications like pain and joint instability, which can lead to dislocations and distortions. Generalised joint hypermobility is frequently observed in hereditary connective tissue disorders, which are characterised by pathological connective tissue fragility in multiple organ systems and can be molecularly confirmed in most cases.<sup>8</sup> In addition, the current label for subjects with JH and musculoskeletal complications, who do not fulfil the criteria for hypermobile Ehlers-Danlos syndromes, is hypermobility spectrum disorders.<sup>9</sup>

**The Beighton score:** The Beighton score (BS) is considered to be the 'gold standard' for assessing GJH and is the most widely used.<sup>10</sup> The BS consists of five standardised tests, including four bilateral tests:

- First finger opposition: positive when with arms outstretched forward but hand pronated, the thumb can be passively moved to touch the ipsilateral forearm.

### Commentary

The strengths of the BS are that it is a quick (5 minutes) and reliable tool to screen for GJH, is known worldwide, and requires no equipment, with the exception of a goniometer when joint range is equivocal. Limitations of the BS include that the evidence with respect to the validity is weak and needs to be further assessed, and that it assesses a limited number of joints, mainly upper-limb, while assessment of other joints that are commonly painful (eg, shoulder, hip, kneecap and ankle) remains essential. Furthermore, the BS only assesses motion in one plane of movement (sagittal). Therefore, other comprehensive tools for JH have been developed and provide more detailed information about more joints in multiple planes of movement (eg, the Upper Limb Hypermobility Assessment Tool<sup>14</sup> and Lower Limb Assessment Score).<sup>15,16</sup>

Reliable, accurate and precise measures of JH and for identifying GJH are essential in children, adolescents and adults with musculoskeletal complaints, and contribute to diagnostics and tailored interventions. Generalised joint hypermobility is known as a risk factor for many musculoskeletal conditions such as joint instability, impingement, ligament injuries and sprains.<sup>13</sup> Furthermore, determining the localisation and generalisability of JH alongside functional assessments of joint stability, muscle strength, and proprioception, pain, fatigue, and the level of disability and participation should lead to tailored, interdisciplinary management.

**Provenance:** Invited. Not peer reviewed.

<https://doi.org/10.1016/j.jphys.2022.02.004>

1836-9553/© 2022 Australian Physiotherapy Association. Published by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

- Fifth finger extension: positive when with the palm of the hand and forearm resting on a flat surface with the elbow flexed at 90 deg, the metacarpal-phalangeal joint of the fifth finger can be hyperextended > 90 deg with respect to the dorsum of the hand.
- Elbow extension: positive when with the arms outstretched to the side and forearm in supination, the elbow extends > 10 deg.
- Knee extension: positive when while standing, with knees locked in genu recurvatum, the knee extends > 10 deg.
- Forward bending: positive when with knees locked straight and feet together, the patient can bend forward to place the total palm of both hands flat on the floor just in front of the feet.

A score is obtained for each bilateral item (0: negative, 1: positive), with a total score ranging from 0 to 9. Recent research recommends variable cut-offs for the age, sex and cohort of interest.<sup>11</sup> In children, GJH is established at a cut-off value of  $\geq 6$ ; in adults to 50 years  $\geq 5/9$ , whereas in adults aged > 50 years  $\geq 4/9$  is positive.<sup>9,12</sup>

**Psychometric properties of the Beighton score:** Concurrent validity of the BS score, according to the COSMIN criteria, is poor to fair [12, Table 3]; more studies are needed to confirm the validity.<sup>12</sup> A recent systematic review included 24 studies in 1,333 patients (age range: 4 to 71 years). For inter-rater and intra-rater reliability, values were moderate to excellent using intraclass correlation coefficients. The authors used the COSMIN criteria and concluded that the BS is a highly reliable clinical tool that shows substantial to excellent inter-rater and intra-rater reliability when used by raters of variable backgrounds and experience levels (rater profession, combined rater experience Table 3).<sup>13</sup> While individual components of risk of bias among studies demonstrated large discrepancy, most of the items were adequate to very good (Table 4).<sup>13</sup>

<sup>a</sup>Raoul HH Engelbert<sup>a</sup> and Lies Rombaut<sup>b,3</sup>

<sup>a</sup>Center of Expertise Urban Vitality, Faculty of Health, Amsterdam University of Applied Sciences, and Department of Rehabilitation and Pediatrics (Emma Children's Hospital), University of Amsterdam, Amsterdam, Netherlands

<sup>b</sup>Center for Medical Genetics, Ghent University Hospital/Ghent University, Ghent, Belgium

### References

1. Mikkelsen. *J Rheumatol*. 1996;23:1963-1967.
2. El-Metwally A. *Pain*. 2004;110:550-559.
3. Juul-Kristensen. *Pediatrics*. 2009;124:1380-1387.
4. Remvig. *Int Musculoskelet Med*. 2011;33:137-145.
5. Castori. *Am J Med Genet C Semin Med Genet*. 2017;175:148-157.
6. Baeza-Velasco. *Curr Sports Med Rep*. 2013;12:291-295.
7. Remvig. *J Rheumatol*. 2007;34:798-803.
8. Castori. *Am J Med Genet C Semin Med Genet*. 2017;175:148-157.
9. Malfait. *Am J Med Genet C Semin Med Genet*. 2017;175:8-26.
10. Beighton. *Ann Rheum Dis*. 1973;32:413-418.
11. Singh. *Rheumatol (Oxford)*. 2017;56:1857-1864.
12. Juul-Kristensen. *Am J Med Genet C*. 2017;175:116-147.
13. Bockhorn. *Orthop J Sports Med*. 2021;9.
14. Nicholson. *Musculoskelet Sci Pract*. 2018;35:38-45.
15. Ferrari. *Clin Exp Rheumatol*. 2005;23:413-420.
16. Meyer. *BMC Musculoskelet Disord*. 2017;18:514.